www.lensclens.com



# Safety Data Sheet (SDS)

OSHA HazCom Standard 29 CFR 1910.1200(g) revised in 2012 and GHS Rev 03.

Issue date 06/07/2021 Reviewed on 06/07/2021

### 1 Identification

- · Product Identifier
- · Trade Name: Lens Clens #1
- · Relevant identified uses of the substance or mixture and uses advised against:
- · Product Description: Lens Clens
- · Details of the Supplier of the Safety Data Sheet:
- · Manufacturer/Supplier:

General Production Services – Division of GPS Inc.

2771 Saturn Street Unit-C

Brea, California 92821 U.S.A.

714-535-2271 (for product infromation)

questions@lensclens.com (email)

· Emergency telephone number:

**INFOTRAC** 

Emergency telephone number in the USA 800-535-5053

Emergency telephone number outside the USA 352-323-3500

Customer # 93269

# 2 Hazard(s) Identification

· Classification of the substance or mixture:



Flame

Flam. Liq. 2 H225 Highly flammable liquid and vapor.



Skin Irrit. 2 H315 Causes skin irritation.

Eye Irrit. 2A H319 Causes serious eye irritation.

Skin Sens. 1 H317 May cause an allergic skin reaction. STOT SE 3 H336 May cause drowsiness or dizziness.

- · Label elements:
- · Hazard pictograms:





- · Signal word: Danger
- · Hazard-determining components of labeling:

Isopropyl alcohol

Sodium Lauryl Sulfate

· Hazard statements:

H225 Highly flammable liquid and vapor.

H315 Causes skin irritation.

H319 Causes serious eye irritation.

H317 May cause an allergic skin reaction.

H336 May cause drowsiness or dizziness.

· Precautionary statements:

P210 Keep away from heat/sparks/open flames/hot surfaces. - No smoking.



OSHA HazCom Standard 29 CFR 1910.1200(g) revised in 2012 and GHS Rev 03.

Issue date 06/07/2021 Reviewed on 06/07/2021

#### Trade Name: Lens Clens #1

P240	Ground/bond container and receiving equipment.
P241	Use explosion-proof electrical/ventilating/lighting/equipment.
P242	Use only non-sparking tools.
P243	Take precautionary measures against static discharge.
P261	Avoid breathing dust/fume/gas/mist/vapors/spray.
P264	Wash thoroughly after handling.
P271	Use only outdoors or in a well-ventilated area.
P272	Contaminated work clothing must not be allowed out of the workplace.
P280	Wear protective gloves/protective clothing/eye protection/face protection.
P302+P352	If on skin: Wash with plenty of water.
P303+P361+P353	If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/
	shower.
P304+P340	IF INHALED: Remove person to fresh air and keep comfortable for breathing.
P305+P351+P338	If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if
	present and easy to do. Continue rinsing.
P312	Call a poison center/doctor if you feel unwell.
P321	Specific treatment (see supplementary first aid instructions on this Safety Data Sheet).
P362+P364	Take off contaminated clothing and wash it before reuse.
P332+P313	If skin irritation occurs: Get medical advice/attention.
P333+P313	If skin irritation or rash occurs: Get medical advice/attention.
P337+P313	If eye irritation persists: Get medical advice/attention.
P363	Wash contaminated clothing before reuse.
P370+P378	In case of fire: Use CO2, powder or water spray to extinguish.
P403+P233	Store in a well-ventilated place. Keep container tightly closed.
P403+P235	Store in a well-ventilated place. Keep cool.

P405 Store locked up.

P501 Dispose of contents/container in accordance with local/regional/national/international

regulations.

# Unknown acute toxicity:

This value refers to knowledge of known, established toxicological or ecotoxicological values.

0 % of the mixture consists of component(s) of unknown toxicity.


· Classification system: NFPA/HMIS Definitions: 0-Least, 1-Slight, 2-Moderate, 3-High, 4-Extreme

· NFPA ratings (scale 0 - 4)



Health = 2 Fire = 3Reactivity = 0

# · HMIS-ratings (scale 0 - 4)



Health = \*2 Fire = 3

· Hazard(s) not otherwise classified (HNOC): None known

# 3 Composition/Information on Ingredients

- · Chemical characterization: Substance
- · **Description:** Mixture of substances listed below with non-hazardous additions.

(Contd. on page 3)



OSHA HazCom Standard 29 CFR 1910.1200(g) revised in 2012 and GHS Rev 03.

Issue date 06/07/2021 Reviewed on 06/07/2021

Trade Name: Lens Clens #1

· Dangerous Components:		
CAS: 67-63-0	Isopropyl alcohol	25-50%
RTECS: NT 8050000	♦ Flam. Liq. 2, H225; ♦ Eye Irrit. 2A, H319; STOT SE 3, H336	
CAS: 151-21-3	Sodium Lauryl Sulfate	2-12%
RTECS: WT 1050000	♠ Acute Tox. 4, H302; Skin Irrit. 2, H315; Eye Irrit. 2A, H319; Skin Sens. 1, H317; STOT SE 3, H335	
CAS: 1336-21-6	Ammonium Hydroxide	≤2.5%
	Acute Tox. 3, H331; Skin Corr. 1B, H314; Eye Dam. 1, H318; Acute Tox. 4, H302	
	Specific concentration limit: STOT SE 3; H335: C ≥ 5 %	
	vPvB	

#### · Additional information:

The exact percentages of the ingredients of this mixture are considered to be proprietary and are withheld in accordance with the provisions of paragraph (i) of §1910.1200 of 29 CFR 1910.1200 Trade Secrets.

All ingredients are in compliance with RoHS Directive 2011/65/EU (RoHS 2).

### 4 First-Aid Measures

- · Description of first aid measures
- · General information: If symptoms persist, call a physician.
- · After inhalation:

Supply fresh air and to be sure call for a doctor.

In case of unconsciousness place patient stably in the side position for transportation.

· After skin contact:

Immediately wash with water and soap and rinse thoroughly.

If skin irritation occurs, consult a doctor.

· After eye contact:

Rinse opened eye for at least 15 minutes under running water. If symptoms persist, consult a doctor.

If easy to do so, remove contact lenses if worn.

If eye irritation occurs, consult a doctor.

- · After swallowing: If swallowed and symptoms occur, consult a doctor.
- · Information for doctor
- · Most important symptoms and effects, both acute and delayed: No further relevant information available.
- Indication of any immediate medical attention and special treatment needed:

No further relevant information available.

# 5 Fire-Fighting Measures

- · Extinguishing media
- · Suitable extinguishing agents:

CO<sub>2</sub>, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

- For safety reasons unsuitable extinguishing agents: No further relevant information.
- Special hazards arising from the substance or mixture: No further relevant information available.
- · Advice for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand and full protective gear to prevent contact with skin and eyes.

Special protective equipment for firefighters:

As in any fire, wear self-contained breathing apparatus pressure-demand (NIOSH approved or equivalent) and full protective gear to prevent contact with skin and eyes.

# 6 Accidental Release Measures

· Personal precautions, protective equipment and emergency procedures:

Wear protective equipment. Keep unprotected persons away.



OSHA HazCom Standard 29 CFR 1910.1200(g) revised in 2012 and GHS Rev 03.

Issue date 06/07/2021 Reviewed on 06/07/2021

#### Trade Name: Lens Clens #1

#### · Environmental precautions:

Do not allow product to reach sewage system or any water course.

Dilute with plenty of water.

### Methods and material for containment and cleaning up:

Absorb with liquid-binding material (i.e. sand, diatomite, acid binders, universal binders, sawdust).

Ensure adequate ventilation.

Dispose of the collected material according to regulations.

### Reference to other sections:

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

#### Protective Action Criteria for Chemicals

Isopropyl alcohol	400 ppm
Sodium Lauryl Sulfate	3.9 mg/m <sup>3</sup>
Ammonium Hydroxide	61 ppm
Acetylene Trichloride (Trichloroethylene )	130 ppm
Isopropyl alcohol	2000* ppm
Sodium Lauryl Sulfate	43 mg/m³
Ammonium Hydroxide	330 ppm
Acetylene Trichloride (Trichloroethylene )	450 ppm
Isopropyl alcohol	12000** ppm
Sodium Lauryl Sulfate	260 mg/m <sup>3</sup>
Ammonium Hydroxide	2,300 ppm
Acetylene Trichloride (Trichloroethylene )	3,800 ppm
	Isopropyl alcohol Sodium Lauryl Sulfate Ammonium Hydroxide Acetylene Trichloride (Trichloroethylene )  Isopropyl alcohol Sodium Lauryl Sulfate Ammonium Hydroxide Acetylene Trichloride (Trichloroethylene )  Isopropyl alcohol Sodium Lauryl Sulfate Ammonium Hydroxide Acetylene Trichloride (Trichloroethylene )

# 7 Handling and Storage

- Handling
- · Precautions for safe handling:

Ensure good ventilation/exhaustion at the workplace.

Prevent formation of aerosols.

### · Information about protection against explosions and fires:

Keep ignition sources away - Do not smoke.

Protect against electrostatic charges.

- · Conditions for safe storage, including any incompatibilities
- · Storage
- Requirements to be met by storerooms and receptacles: Store in a cool location.
- Information about storage in one common storage facility: Not required.
- · Further information about storage conditions:

Keep receptacle tightly sealed.

Store in cool, dry conditions in well sealed receptacles.

· Specific end use(s): No further relevant information available.

# 8 Exposure Controls/Personal Protection

· Additional information about design of technical systems: No further data; see section 7.



OSHA HazCom Standard 29 CFR 1910.1200(g) revised in 2012 and GHS Rev 03.

Issue date 06/07/2021 Reviewed on 06/07/2021

Trade Name: Lens Clens #1

#### · Control parameters:

#### · Components with occupational exposure limits:

The following constituent is the only constituent of the product which has a PEL, TLV or other recommended exposure limit.

At this time, the other constituents have no known exposure limits.

### 67-63-0 Isopropyl alcohol

PEL Long-term value: 980 mg/m³, 400 ppm
REL Short-term value: 1225 mg/m³, 500 ppm
Long-term value: 980 mg/m³, 400 ppm
TLV Short-term value: 984 mg/m³, 400 ppm
Long-term value: 492 mg/m³, 200 ppm
BEI

### · Ingredients with biological limit values:

### 67-63-0 Isopropyl alcohol

BEI 40 mg/L

urine

end of shift at end of workweek

Acetone (background, nonspecific)

- · Additional information: The lists that were valid during the creation of this SDS were used as basis.
- · Exposure controls:
- · Personal protective equipment
- · General protective and hygienic measures:

The usual precautionary measures for handling chemicals should be followed.

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing and wash before reuse.

Wash hands before breaks and at the end of work.

Avoid contact with the eyes and skin.

#### · Breathing equipment:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure, use respiratory protective device that is independent of circulating air.

· Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

# · Material of gloves:

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material cannot be calculated in advance and has therefore to be checked prior to the application.

### · Penetration time of glove material:

The exact break-through time has to be determined and observed by the manufacturer of the protective gloves.

#### · Eye protection:



Tightly sealed goggles



OSHA HazCom Standard 29 CFR 1910.1200(g) revised in 2012 and GHS Rev 03.

Issue date 06/07/2021 Reviewed on 06/07/2021

Trade Name: Lens Clens #1

· Limitation and supervision of exposure into the environment: None

# 9 Physical and Chemical Properties

· Information on basic physical and chemical properties

· General Information

· Appearance:

Form: Liquid Color: Pink
Odor: Slight

Odor threshold: Not determined.pH-value: Not applicable.

· Change in condition

Melting point/Melting range: Not determined.
Flash point: 12 °C (53.6 °F)
Flammability (solid, gaseous): Not applicable.
Ignition temperature: 456 °C (852.8 °F)
Decomposition temperature: Not determined.

• Auto igniting: Product is not self-igniting.

· Danger of explosion: Product is not explosive. However, formation of explosive air/vapor

mixtures are possible.

· Explosion limits:

 Lower:
 2 Vol %

 Upper:
 12 Vol %

· Vapor pressure @ 30 °C (86 °F): ≤76 hPa (≤57 mm Hg)

• **Density @ 20 °C (68 °F):** 0.8866 g/cm³ (7.3987 lbs/gal)

Relative density: Not determined.
Vapor density: Not determined.
Evaporation rate: Not determined.

· Solubility in / Miscibility with:

Water: Fully miscible.

• Partition coefficient (n-octanol/water): Not determined.

· Viscosity:

**Dynamic:** Not determined. **Kinematic:** Not determined.

· Solvent content:

Organic solvents: 46.0 % VOC content: 45.96 %

· Other information: No further relevant information available.

### 10 Stability and Reactivity

- · Reactivity: No further relevant information available.
- · Chemical stability: Stable under normal conditions.
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions: No dangerous reactions known.



OSHA HazCom Standard 29 CFR 1910.1200(g) revised in 2012 and GHS Rev 03.

Issue date 06/07/2021 Reviewed on 06/07/2021

Trade Name: Lens Clens #1

- · Conditions to avoid: Heat, flame and ignition sources.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

# 11 Toxicological Information

- · Information on toxicological effects:
- · Acute toxicity:

· LD/LC50 values that are relevant for classification:		
67-63-0 Isopropyl alcohol		
Oral	LD50	5,045 mg/kg (Rat)
Dermal	LD50	12,800 mg/kg (Rabbit)
Inhalative	LC50/4 h	30 mg/l (Rat)
	LC50/96 hours	9,640 mg/l (Pimephales)
151-21-3	Sodium Lauryl	Sulfate
Oral	LD50	1,288 mg/kg (Rat)
Inhalative	LC50/4 h	>3,900 mg/l (Rat) THE LC50 VALUES HEREUNDER ARE ESTIMATED ON THE BASIS OF A 4-HOUR EXPOSURE.
1336-21-6 Ammonium Hydroxide		
Oral	LD50	350 mg/kg (RAT) Remarks: Gastrointestinal: Other changes. Liver: Other changes. Kidney, Ureter, Bladder: Other changes.
Inhalative	LC50/96 hours	8.2 mg/l (Pimephales)
79-01-6 Acetylene Trichloride (Trichloroethylene )		
Oral	LD50	2,402 mg/kg (Mouse)
Dermal	LD50	8,450 mg/kg (Mouse)

- Primary irritant effect:
- · On the skin: May cause an allergic skin reaction.
- On the eye: Irritating effect.
- · Sensitization: Sensitization possible through skin contact.
- Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations:

İrritant

- · Carcinogenic categories:
- IARC (International Agency for Research on Cancer):

Group 1 - Carcinogenic to humans

Group 2A - Probably carcinogenic to humans

Group 2B - Possibly carcinogenic to humans

Group 3 - Not classifiable as to its carcinogenicity to humans

Group 4 - Probably not carcinogenic to humans

67-63-0 Isopropyl alcohol	3
79-01-6 Acetylene Trichloride (Trichloroethylene )	1
· NTP (National Toxicology Program):	

(Contd. on page 8)



OSHA HazCom Standard 29 CFR 1910.1200(g) revised in 2012 and GHS Rev 03.

Issue date 06/07/2021 Reviewed on 06/07/2021

Trade Name: Lens Clens #1

· OSHA-Ca (Occupational Safety & Health Administration):

None of the ingredients are listed.

# 12 Ecological Information

· Toxicity:

· Aquatic toxicity:

# 67-63-0 Isopropyl alcohol

EC50 6,851 mg/l (Green algae)

5,102 mg/l (Water flea)

### 1336-21-6 Ammonium Hydroxide

EC50 0.66 mg/l (Daphnia)

0.66 mg/l (Water flea)

- · Persistence and degradability: No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential: No further relevant information available.
- · Mobility in soil: No further relevant information available.
- Additional ecological information:
- · General notes:

Water hazard class 3 (Self-assessment): extremely hazardous for water

Do not allow product to reach ground water, water course or sewage system, even in small quantities.

Danger to drinking water if even extremely small quantities leak into the ground.

- · Results of PBT and vPvB assessment:
- · PBT: Not applicable.
- · vPvB:

1336-21-6 Ammonium Hydroxide

· Other adverse effects: No further relevant information available.

### 13 Disposal Considerations

- · Waste treatment methods
- · Recommendation:

Observe all federal, state and local environmental regulations when disposing of this material.

- Uncleaned packaging
- · Recommendation: Disposal must be made according to official regulations.
- · Recommended cleansing agent: Water, if necessary with cleansing agents.

### 14 Transport Information

· UN-Number:

· **DOT, ADR/ADN, IMDG, IATA** UN1219

· UN proper shipping name:

· **DOT** Isopropanol

· *ADR/ADN* UN1219 ISOPROPANOL (ISOPROPYL ALCOHOL)

ISOPROPANOL (ISOPROPYL ALCOHOL)

(Contd. on page 9)



OSHA HazCom Standard 29 CFR 1910.1200(g) revised in 2012 and GHS Rev 03.

Issue date 06/07/2021 Reviewed on 06/07/2021

Trade Name: Lens Clens #1

· Transport hazard class(es):

· DOT



· Class: 3 Flammable liquids

· Label: 3

· ADR/ADN



· Class: 3 (F1) Flammable liquids

· Label:

· IMDG, IATA



· *Class:* 3 Flammable liquids

· Label: 3

· Packing group:

· DOT, ADR/ADN, IMDG, IATA

• *Environmental hazards:* Not applicable.

· Special precautions for user: Warning: Flammable liquids

· Hazard identification number (Kemler code): 33 · EMS Number: F-E,S-D · Stowage Category B

Transport in bulk according to Annex II of

MARPOL73/78 and the IBC Code: Not applicable.

· Transport/Additional information:

· DOT

• Quantity limitations: On passenger aircraft/rail: 5 L

On cargo aircraft only: 60 L

· ADR/ADN

· Excepted quantities (EQ): Code: E2

Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml

· IMDG

· Limited quantities (LQ):

· Excepted quantities (EQ): Code: E2

Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml

· UN "Model Regulation": UN 1219 ISOPROPANOL (ISOPROPYL ALCOHOL), 3, II

(Contd. on page 10)



Safety Data Sheet (SDS)

OSHA HazCom Standard 29 CFR 1910.1200(g) revised in 2012 and GHS Rev 03.

Issue date 06/07/2021 Reviewed on 06/07/2021

Trade Name: Lens Clens #1

# Regulatory Information

- · Safety, health and environmental regulations/legislation specific for the substance or mixture:

· SARA (Superfund Amendments and Reauthorization):	
· Section 355 (extremely hazardous substances):	
None of the ingredients are listed.	
· Section 313 (Specific toxic chemical listings):	
67-63-0 Isopropyl alcohol	
1336-21-6 Ammonium Hydroxide	
79-01-6 Acetylene Trichloride (Trichloroethylene )	
TSCA (Toxic Substances Control Act):	
All components have the value ACTIVE.	
· Hazardous Air Pollutants	
79-01-6 Acetylene Trichloride (Trichloroethylene )	
· California Proposition 65:	
· Chemicals known to cause cancer:	
79-01-6 Acetylene Trichloride (Trichloroethylene )	
· Chemicals known to cause reproductive toxicity for females:	
None of the ingredients are listed.	
· Chemicals known to cause reproductive toxicity for males:	
79-01-6 Acetylene Trichloride (Trichloroethylene )	
Chemicals known to cause developmental toxicity:	
None of the ingredients are listed.	
· New Jersey Right-to-Know List:	
67-63-0 Isopropyl alcohol	
1336-21-6 Ammonium Hydroxide	
79-01-6 Acetylene Trichloride (Trichloroethylene )	
New Jersey Special Hazardous Substance List:	
67-63-0 Isopropyl alcohol	F3
1336-21-6 Ammonium Hydroxide	CO
79-01-6 Acetylene Trichloride (Trichloroethylene )	CA
· Pennsylvania Right-to-Know List:	
67-63-0 Isopropyl alcohol	
1336-21-6 Ammonium Hydroxide	
79-01-6 Acetylene Trichloride (Trichloroethylene )	
· Pennsylvania Special Hazardous Substance List:	
67-63-0 Isopropyl alcohol	E
1336-21-6 Ammonium Hydroxide	E
79-01-6 Acetylene Trichloride (Trichloroethylene )	E

# · Carcinogenic categories:

· EPA (Environmental Protection Agency):	
79-01-6 Acetylene Trichloride (Trichloroethylene )	CaH



OSHA HazCom Standard 29 CFR 1910.1200(g) revised in 2012 and GHS Rev 03.

Issue date 06/07/2021 Reviewed on 06/07/2021

Trade Name: Lens Clens #1

· TLV (Threshold Limit Value established by ACGIH):	
67-63-0 Isopropyl alcohol	A4
79-01-6 Acetylene Trichloride (Trichloroethylene )	A2
· NIOSH-Ca (National Institute for Occupational Safety and Health):	
79-01-6 Acetylene Trichloride (Trichloroethylene )	

#### · GHS label elements

The product is classified and labeled according to the Globally Harmonized System (GHS).

· Hazard pictograms:





# · Signal word: Danger

### · Hazard-determining components of labeling:

Isopropyl alcohol Sodium Lauryl Sulfate

#### Hazard statements:

H225 Highly flammable liquid and vapor.

H315 Causes skin irritation.

H319 Causes serious eye irritation.

H317 May cause an allergic skin reaction.

H336 May cause drowsiness or dizziness.

#### · Precautionary statements:

P210 Keep away from heat/sparks/open flames/hot surfaces. - No smoking.
P240 Ground/bond container and receiving equipment.

P241 Use explosion-proof electrical/ventilating/lighting/equipment.

P242 Use only non-sparking tools.

P243 Take precautionary measures against static discharge. P261 Avoid breathing dust/fume/gas/mist/vapors/spray.

P264 Wash thoroughly after handling.

P271 Use only outdoors or in a well-ventilated area.

P272 Contaminated work clothing must not be allowed out of the workplace.
P280 Wear protective gloves/protective clothing/eye protection/face protection.

P302+P352 If on skin: Wash with plenty of water.

P303+P361+P353 If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/

shower.

P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

P312 Call a poison center/doctor if you feel unwell.

P321 Specific treatment (see supplementary first aid instructions on this Safety Data Sheet).

P362+P364 Take off contaminated clothing and wash it before reuse.
P332+P313 If skin irritation occurs: Get medical advice/attention.
P333+P313 If skin irritation or rash occurs: Get medical advice/attention.

P337+P313 If eye irritation persists: Get medical advice/attention.

P363 Wash contaminated clothing before reuse.

P370+P378 In case of fire: Use CO2, powder or water spray to extinguish. P403+P233 Store in a well-ventilated place. Keep container tightly closed.

P403+P235 Store in a well-ventilated place. Keep cool.

P405 Store locked up.

(Contd. on page 12)



OSHA HazCom Standard 29 CFR 1910.1200(g) revised in 2012 and GHS Rev 03.

Issue date 06/07/2021 Reviewed on 06/07/2021

Trade Name: Lens Clens #1

P501 Dispose of contents/container in accordance with local/regional/national/international

· National regulations:

None of the ingredients are listed.

- · Information about limitation of use:
- · Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

### Other Information

The information and recommendations in this safety data sheet are, to the best of our knowledge, accurate as of the date of issue. Nothing herein shall be deemed to create warranty, expressed or implied, and shall not establish a legally valid contractual relationship. It is the responsibility of the user to determine applicability of this information and the suitability of the material or product for any particular purpose.

- · Contact:
- · Date of last revision/ revision number: 06/07/2021 / 17
- · Abbreviations and acronvms:

ADR: The European Agreement concerning the International Carriage of Dangerous Goods by Road

ADN: The European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA)

HMIS: Hazardous Materials Identification System (USA)

VOC: Volatile Organic Compounds (USA, EU)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

NIOSH: National Institute for Occupational Safety and Health

OSHA: Occupational Safety & Health Administration

TLV: Threshold Limit Value

PEL: Permissible Exposure Limit

REL: Recommended Exposure Limit

BEI: Biological Exposure Limit

Flam. Liq. 2: Flammable liquids - Category 2

Acute Tox. 4: Acute toxicity - Category 4

Acute Tox. 3: Acute toxicity - Category 3

Skin Corr. 1B: Skin corrosion/irritation – Category 1B

Skin Irrit. 2: Skin corrosion/irritation - Category 2

Eye Dam. 1: Serious eye damage/eye irritation – Category 1

Eye Irrit. 2A: Serious eye damage/eye irritation - Category 2A

Skin Sens. 1: Skin sensitisation - Category 1

STOT SE 3: Specific target organ toxicity (single exposure) – Category 3

\* Data compared to the previous version altered.

SDS created by MSDS Authoring Services www.msdsauthoring.com +1-877-204-9106